



LabCorp Denver
8490 Upland Drive
Englewood, CO 80112

Phone:

Specimen Number	Patient ID	Control Number	Account Number	Account Phone Number	Route
Patient Last Name			Account Address		
Patient First Name		Patient Middle Name		Direct Laboratory Services	
Patient SS#		Patient Phone		****Interface Account	
Age (Y/M/D)		Date of Birth		4040 Florida Street Suite 202	
		Sex		Mandeville LA 70448	
		Fasting			
Patient Address			Additional Information		
Date and Time Collected	Date Entered	Date and Time Reported	Physician Name	NPI	Physician ID

Tests Ordered
Prostate-Specific Ag, Serum; Venipuncture

General Comments
PID:

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Prostate-Specific Ag, Serum					
Prostate Specific Ag, Serum Roche ECLIA methodology.	2.9		ng/mL	0.0 - 4.0	01

According to the American Urological Association, Serum PSA should decrease and remain at undetectable levels after radical prostatectomy. The AUA defines biochemical recurrence as an initial PSA value 0.2 ng/mL or greater followed by a subsequent confirmatory PSA value 0.2 ng/mL or greater. Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

01	DV	LabCorp Denver 8490 Upland Drive, Englewood, CO 80112	Dir: Frank Ryan, PhD
For inquiries, the physician may contact Branch: 504-828-2666 Lab: 800-795-3699			

--	--	--	--

FINAL REPORT

Page 1 of 1

This document contains private and confidential health information protected by state and federal law. If you have received this document in error, please call 504-828-2666

©2004-10 Laboratory Corporation of America © Holdings
All Rights Reserved
DOC1 Ver: 1.42