

SPECIMEN INFORMATION  
SPECIMEN:  
REQUISITION:  
LAB REF NO:  
  
COLLECTED:  
RECEIVED:  
REPORTED:

DOB:  
AGE:  
GENDER:  
FASTING:  
  
Clinical Info:

ORDERING PHYSICIAN  
  
CLIENT INFORMATION  
  
DirectLabs  
4040 Florida St.  
Ste 101  
Mandeville, LA 70448

---

Test Name	Result	Flag	Reference Range	Lab
<b>ANA IFA SCREEN W/REFL TO TITER AND PATTERN, IFA</b>				
ANA SCREEN, IFA	POSITIVE	ABNORMAL	NEGATIVE	01
<b>ANTINUCLEAR ANTIBODIES TITER AND PATTERN</b>				
ANA PATTERN	SPECKLED	ABNORMAL		01
ANA TITER	1:40	HIGH	titer	01
Reference Range				
<1:40	Negative			
1:40-1:80	Low Antibody Level			
>1:80	Elevated Antibody Level			

---

**Performing Laboratory Information:**

01: Quest Diagnostics LLC-Quest Diagnostics LLC, 200 Forest St, 3Rd Fl, Suite B,  
Marlborough MA, phone:  
Medical Director: Salim E Kabawat