

SPECIMEN INFORMATION

SPECIMEN:
REQUISITION:
LAB REF NO:

DOB:
AGE:
GENDER:
FASTING:

Clinical Info:

ORDERING PHYSICIAN

CLIENT INFORMATION

DirectLabs
4040 Florida St.
Ste 101
Mandeville, LA 70448

COLLECTED:
RECEIVED:
REPORTED:

Test Name	Result	Flag	Reference Range	Lab
FASTING: YES				
CHROMOGRANIN A, ECL				
CHROMOGRANIN A, ECL	<5		< OR = 15 ng/mL	02

This test was performed using a laboratory developed electrochemiluminescent method. Values obtained with different assay methods cannot be used interchangeably. Chromogranin A levels, regardless of value, should not be interpreted as absolute evidence of the presence or absence of disease.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Performing Laboratory Information:

01: Quest Diagnostics/Nichols Chantilly-Chantilly VA, 14225 Newbrook Drive, Chantilly VA, phone:
Medical Director: MD, PhD Patrick W Mason
02: Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano CA, phone:
Medical Director: MD, PhD Jon Nakamoto