



MYCOTOXIN PANEL REPORT FORM  
10/28/2014

RealTime Laboratories, Inc  
4100 Fairway Drive, Ste 600  
Carrollton, TX 75010  
Phone: 1-972-492-0419  
Fax: 1-972-243-7759  
Website: www.realtimelab.com  
Email: info@realtimelab.com  
CLIA #: 45D1051736  
CAP #: 7210193  
TaxId#: 45-0669342

Patient: \_\_\_\_\_  
Patient Date of Birth: \_\_\_\_\_  
Date of Receipt: \_\_\_\_\_  
Date of Report: \_\_\_\_\_  
Ordering Physician: \_\_\_\_\_  
Direct Labs  
4040 Florida St., Ste. 202, Mandeville, LA 70448

Accession No: \_\_\_\_\_  
MRN: \_\_\_\_\_  
Date of Service: \_\_\_\_\_  
Specimen: \_\_\_\_\_

Procedure Type

Ochratoxin A - Procedure by ELISA  
Aflatoxin Group - Procedure by ELISA  
Trichothecene Group - Procedure by ELISA

Results:

Code	Test	Specimen	Value	Result	Negative if less than	Equivocal if between	Positive if greater or equal
E8503	Trichothecene Group	Urine	0.03 ppb	Negative	0.18 ppb	0.18-0.2 ppb	0.2 ppb

  
Director Signature \_\_\_\_\_

Tests such as this should be used only in conjunction with other medically established diagnostic elements (e.g., symptoms, history, clinical impressions, results from other tests, etc). Physicians should use all the information available to them to diagnose and determine appropriate treatment for their patients.

Disclaimer: This test was developed and its performance characteristics determined by RealTime Lab. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.