

SPECIMEN INFORMATION

SPECIMEN:

REQUISITION:

LAB REF NO:

DOB:

AGE:

GENDER:

FASTING:

ORDERING PHYSICIAN

CLIENT INFORMATION

DirectLabs  
 4040 Florida St.  
 Ste 101  
 Mandeville, LA 70448

COLLECTED: [REDACTED]

Clinical Info:

RECEIVED: [REDACTED]

REPORTED:

Test Name	Result	Flag	Reference Range	Lab
<b>TETANUS ANTITOXOID</b>				
TETANUS ANTITOXOID	3.79		>0.15 IU/mL	02

Reference range (Healthy Immunized):  
 >0.15 International Units/mL

A minimal four-fold increase in antibody level between the pre-immunization and the post-immunization specimens is considered a normal response to bacterial protein toxoid antigens. In certain individuals with high pre-booster levels of Tetanus antibodies, elicited by childhood immunizations, this rise may not be observed.

This procedure has primarily been established to measure the ability of the immune system to respond to protein antigens. Although an antibody level of >0.15 International Units/mL is considered protective, these results should not be used to determine the necessity to administer antitoxin when indicated by the clinical presentation.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute, Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This assay has been validated pursuant to CLIA regulations and is used for clinical purposes.