

SPECIMEN INFORMATION

SPECIMEN:
REQUISITION:
LAB REF NO:

DOB:
AGE:
GENDER:
FASTING:

ORDERING PHYSICIAN

CLIENT INFORMATION

DirectLabs
4040 Florida St.
Ste 101
Mandeville, LA 70448

COLLECTED:
RECEIVED:
REPORTED:

Clinical Info:

Test Name	Result	Flag	Reference Range	Lab
CYTOMEGALOVIRUS ANTIBODY (IGM)				
CYTOMEGALOVIRUS ANTIBODY (IGM)	<30.00		AU/mL	02
AU/mL	Interpretation			
-----	-----			
<30.00	No Antibody Detected			
30.00-34.99	Equivocal			
> or = 35.00	Antibody Detected			

Results from any one IgM assay should not be used as a sole determinant of a current or recent infection. Because an IgM test can yield false positive results and low level IgM antibody may persist for more than 12 months post infection, reliance on a single test result could be misleading. Acute infection is best diagnosed by demonstrating the conversion of IgG from negative to positive. If an acute infection is suspected, consider obtaining a new specimen and submit for both IgG and IgM testing in two or more weeks.

Performing Laboratory Information:

02: Quest Diagnostics-Horsham, 900 Business Center Drive, Horsham PA, phone:
Medical Director: MD PhD Andrew S Edelman